

Contents

Marine Geology Volume 108, 1992

Research Papers

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Middle Eocene through Early Oligocene climate history and paleoceanography in the Southern Ocean: Stable oxygen and carbon isotopes from ODP Sites on Maud Rise and Kerguelen Plateau A. Mackensen (Bremerhaven, Germany) and W.U. Ehrmann (Cambridge, U.K.)..... | 1 |
| Dated coral reefs of southern Sinai (Red Sea) and their implication to late Quaternary sea levels G. Gvirtzman (Jerusalem, Israel), J. Kronfeld (Tel Aviv, Israel) and B. Buchbinder (Jerusalem, Israel)..... | 29 |
| Mineralogy and geochemistry of volcanogenic sulfides from the Myojinsho submarine caldera, the Schichito-Iwojima Ridge, Izu-Ogasawara Arc, northwestern Pacific K. Iizasa, M. Yuasa and S. Yokota (Tsukuba, Japan)..... | 39 |
| Geochemical predictive models of manganese, zinc, nickel, copper and cadmium in Nile shelf sediments A.E. Rifaat, M.Kh. El-Sayed, A. Beltagy, M.A. Morsy and A. Nawar (Alexandria, Egypt)..... | 59 |
| Holocene sedimentation patterns and bedforms in the wave-current-dominated nearshore waters of eastern Mersin Bay (eastern Mediterranean) M.N. Bodur and M. Ergin (İçel, Turkey)..... | 73 |

| | |
|-----------------------------------------------|----|
| Current Titles in Marine Geology | 95 |
|-----------------------------------------------|----|

Research Papers

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A laboratory investigation of particle size effects on an optical backscatterance sensor C.S. Conner and A.M. De Visser (Port Hueneme, CA, USA) | 151 |
| A review and experimental assessment of equilibrium grain size and the ideal wave-graded profile D.P. Horn (London, UK) | 161 |
| In situ erosion measurements on fine-grained sediments from the Bay of Fundy C.L. Amos (Dartmouth, NS, Canada), G.R. Daborn (Wolfville, NS, Canada), H.A. Christian and A. Atkinson (Dartmouth, NS, Canada) and A. Robertson (Wolfville, NS, Canada) | 175 |
| Modern sedimentation in the Japan Trench: implications of the mineralogy and chemistry of clays sampled from sediment traps S. Aoki (Asaka Saitama, Japan) and N. Kohyama (Tamaku Kawasaki, Japan) | 197 |
| Last interglacial and Holocene trends in sea-level maxima around Australia: Implications for modern rates E. Bryant (Wollongong, Australia) | 209 |
| Distribution of Recent nannofossils beneath the Benguela system: southwest African continental margin J. Giraudeau (Cape Town, South Africa) | 219 |
| Isotopic composition of hydrothermal precipitates from the Mariana Trough R.W. Botz and P. Stoffers (Kiel, Germany) | 239 |
| Erratum | 245 |

Letter Section

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A fast, high-precision splitter for particle suspensions D.A. Tennant and E.T. Baker (Seattle, WA, USA) | 247 |
| Measurements of high concentration suspended sediments using the optical backscatterance sensor G.C. Kineke and R.W. Sternberg (Seattle, WA, USA) | 253 |

Research Papers

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| The longshore flow component in low-energy rip channels: The Mediterranean, Israel D. Bowman, H. Birkenfeld and D.S. Rosen (Beer-Sheva, Israel) | 259 |
| Suspended sediment transport in the surf zone: Response to incident wave and longshore current interaction R.A. Beach (Corvallis, OR, USA) and R.W. Sternberg (Seattle, WA, USA) | 275 |
| Pre-Holocene sediment dispersal systems and effects of structural controls and Holocene sea-level rise from acoustic facies analysis: SW Japan forearc | |

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| P. Blum (Austin, TX, USA) and Y. Okamura (Ibaraki, Japan) | 295 |
| Late Quaternary sedimentation off New Jersey: New results using 3-D seismic profiles and cores | |
| T.A. Davies, J.A. Austin, Jr. and M.B. Lagoe (Austin, TX, USA) and J.D. Milliman (Woods Hole, MA, USA) | 323 |
| Slumping and sliding in Miocene and Recent developing arc basins, onshore and offshore Sumba (Indonesia) | |
| A.R. Fortuin and Th.B. Roep (Amsterdam, The Netherlands), P.A. Sumosusastro (Bandung, Indonesia), T.C.E. van Weering and W. van der Werff (Texel, The Netherlands) | 345 |
| Glaciomarine turbidite and current controlled deposits in Prydz Bay, Antarctica | |
| B. Kuvaas (Bergen, Norway) and G. Leitchenkov (St. Petersburg, Russian Federation) | 365 |
| Late Quaternary paleoclimatic and paleoceanographic change over northern Chatham Rise, New Zealand | |
| J. Fenner (Hannover, Germany), L. Carter (Wellington, New Zealand) and R. Stewart (Palmerston North, New Zealand) ... | 383 |
| Announcement | 405 |
| Contents 108 | 407 |

